



Table 3. List of taxa present in more than 1 geographic location, with average threat score. Only taxa in the upper quartile of the average score are listed.

Family-accepted taxonomic name	Accepted taxonomic name without authorship	Total geographic locations out of 42	Average Score
Asteraceae	<i>Filago neglecta</i>	3	100
Saxifragaceae	<i>Saxifraga oppositifolia</i> subsp. <i>amphibia</i>	2	100
Convolvulaceae	<i>Cuscuta epilinum</i>	15	93,4
Asteraceae	<i>Artemisia laciniata</i>	2	90
Orobanchaceae	<i>Euphrasia corcontica</i>	2	90
Fabaceae	<i>Lathyrus pancicii</i>	2	90
Fabaceae	<i>Trifolium billardierei</i>	2	90
Poaceae	<i>Lolium remotum</i>	15	85,47
Rosaceae	<i>Aria cucullifera</i>	2	80
Rosaceae	<i>Aria thayensis</i>	2	80
Aristolochiaceae	<i>Aristolochia merxmulleri</i>	2	80
Asteraceae	<i>Carduus lobulatus</i>	2	80
Brassicaceae	<i>Iberis linifolia</i> subsp. <i>intermedia</i>	2	80
Malvaceae	<i>Malva lusitanica</i> subsp. <i>pallescens</i>	2	80
Rosaceae	<i>Potentilla praecox</i>	2	80
Polygonaceae	<i>Rheum rhaponticum</i>	2	80
Asteraceae	<i>Scorzonera fistulosa</i>	2	80
Violaceae	<i>Viola schariensis</i>	2	80
Brassicaceae	<i>Draba pacheri</i>	2	75
Cyperaceae	<i>Fimbristylis dichotoma</i> subsp. <i>dichotoma</i>	2	75